

Digital B&W Multifunction Printer

# RICOH MP 2555SP MP 3055SP MP 3555SP

✓Copier ✓Printer ✓Facsimile ✓Scanner

**RICOH**  
imagine. change.



RICOH  
MP 2555SP

25  
ppm Monochrome

RICOH  
MP 3055SP

30  
ppm Monochrome

RICOH  
MP 3555SP

35  
ppm Monochrome

# Turn the everyday into an easy day

Use the RICOH® MP 2555SP/ MP 3055SP/ MP 3555SP to simplify everyday office tasks and move information to the people who need it most, in the format they prefer. Scan full-color images, brochures and other documents and distribute them instantly. With the same pinch-and-flick and scrolling gestures you use on your smartphone or tablet, you can access critical information, set shortcuts and distribute information from the advanced 10.1" Smart Operation Panel. Alternatively, you can use smart mobile devices to connect remotely and work on the go. Take advantage of advanced security controls to help protect your data.

- Print up to 35 prints/copies per minute for productive black-and-white output
- Use intuitive touchscreen controls to copy, print, scan and fax quickly
- Create your own workflows with shortcuts to simplify tasks
- Access, print and distribute information from your personal mobile device
- Minimize energy costs via a wide range of innovative eco-friendly features
- Produce professional-looking saddle-stitched and punched booklets, presentations and proposals
- Simplify sorting and stapling tasks with compact internal and high-output external finishers
- Toggle between stapled or stapleless finishing automatically with an external hybrid 1,000-sheet finisher



# Value added in all ways

## Make complex the easy way

Printing black-and-white notes, reports and presentations is effortless with speed up to 35 pages per minute (ppm). Scan with Single Pass Document Feeder (SPDF) for full-color originals at 180-Sheet per minute and distribute them digitally in an instant. Addition optional paper trays allows total paper capacity expand to 4,700 sheets to minimize interruptions.



## Access anywhere and anytime

Simply download the RICOH Smart Device Connector app on your Android® or iOS® devices to copy, scan, fax and print. Sharing & retrieving information directly from cloud storage applications, such as Google Drive™, Box™ or Dropbox™ and print it. Simple connection via either Bluetooth or Near Field Communication (NFC) tag. Printing from AirPrint® and Mopria® are available too.



## Compel with quality

To impress audiences with sharp images and precise text at up to 1,200 x 1,200 dpi resolution. These new devices now include standard PostScript to help improve productivity. With the 1.46 GHz Intel® based controller, you can handle your most complex printing and scanning tasks. Print on a wide range of paper types, you can even create an easy-to-see poster from one of your current documents.



## Reduce costs and environmental impact

The MP 2555SP/ MP 3055SP/ MP 3555SP with a wide range of sustainable, eco-friendly features. It is ENERGY STAR® certified to help reduce your environmental footprint. You can also schedule the MFP to power down when the office is empty and reduce paper costs with default duplex printing.



# Speed up your workflow

## Use shortcuts to move ahead quickly

Customize your own personal workflows on the Smart Operation Panel and reduce repetitive manual steps that can impede the flow of information. Download easy-to-use workflow apps from the RICOH Application Site to add specific features or single-function capabilities to simplify how you perform everyday tasks. For example, Conference Concierge app will guide you step-by-step instructions on how to create supporting materials in the right format for your next big event.



## Integrate with fast, easy workflows

Simplify even the most complex tasks by integrating Ricoh workflow software. Automate document management workflows, improve printer security controls, track costs, issue chargebacks and more. Use RICOH GlobalScan™ NX to reduce manual touch points, so you can convert them into digital files and route them around the globe in moments. RICOH Streamline NX® device management software, for centralized one-source control to expedite document management tasks for your entire fleet.



## Get in touch with productivity

Designed with RICOH Workstyle Innovation Technology, the customizable 10.1" Smart Operation Panel uses your familiarity with today's touchscreen devices to provide a more intuitive user experience. Customize the user interface with specific icons for important settings and features with a single touch. The MFP includes a web browser, print web pages, images and documents that found online as PDFs.



## Keep tabs on your best people and ideas

Protect information with a wide range of security controls. The hard disk drive offers powerful encryption protection. The built-in DataOverwriteSecurity System (DOSS) overwrites latent images remaining on the hard drive. With user authentication, users have to enter a passcode, billing code or swipe an ID card with the optional card readers to gain access to the MFP. RICOH Device Manager NX Accounting, optional accounting software, allows to issue chargebacks.



# Make big productivity gains in small offices



**1** Smart 10.1 inch Smart Operation Panel

**4** Powerful Intel® processor

**2** 1,000 sheet staple and stapleless hybrid finisher

**5** Automatic and Single Pass Document Feeder for high speed scanning

**3** High paper tray capacity of up to 4,700 sheets



# RICOH MP 2555SP / MP 3055SP / MP 3555SP

## MAIN SPECIFICATIONS

<b>GENERAL</b>		<b>PAPER HANDLING</b>	
Warm-up time:	20 seconds	Recommended paper size:	A3, A4, A5, A6, B4, B5, B6
First output speed:	4.6/4.6/4.3 seconds	Paper input capacity:	Standard: 1,200 sheets Maximum: 4,700 sheets
Continuous output speed:	25/30/35 pages per minutes	Paper weight:	52 - 300 g/m <sup>2</sup>
Memory:	Standard: 2 GB	<b>ECOLOGY</b>	
HDD:	320 GB	Power consumption:	Maximum: 1,600 W Ready mode: 58.3 W Sleep mode: 0.84 W
Dimensions (W x D x H):	587 x 684 x 788 mm (MF only)	TEC (typical electricity consumption): 0.9/ 1.1/ 1.4 kWh	
Weight:	62.5 kg (MF only)	<b>OPTIONS</b>	
Power source:	220-240 V, 50/60 Hz	PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, 1 Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP® 1 License, Unicode Font Package for SAP® 10 License, Unicode Font Package for SAP® 100 License, IEEE 802.11a/g/n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket Type M19	
<b>COPIER</b>		For availability of models, optional apparatus and software, please consult your local Ricoh supplier.	
Copying process:	Single laser beam & electro-photographic printing	<b>OPTIONS</b>	
Multiple copying:	Up to 999 copies	PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, 1 Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP® 1 License, Unicode Font Package for SAP® 10 License, Unicode Font Package for SAP® 100 License, IEEE 802.11a/g/n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket Type M19	
Resolution:	600 x 600 dpi	For availability of models, optional apparatus and software, please consult your local Ricoh supplier.	
Zoom:	From 25% to 400% in 1% steps	<b>OPTIONS</b>	
<b>PRINTER</b>		PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, 1 Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP® 1 License, Unicode Font Package for SAP® 10 License, Unicode Font Package for SAP® 100 License, IEEE 802.11a/g/n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket Type M19	
Printer language:	Standard: PCL5e, PCL6, PDF Direct, PS3 (Emulation) Option: Adobe® PostScript®3™, Adobe® PDF	For availability of models, optional apparatus and software, please consult your local Ricoh supplier.	
Print resolution:	Maximum 1,200 x 1,200 dpi	<b>OPTIONS</b>	
Interface:	Standard: USB Host I/F, Ethernet 10 base-T/100 base-TX/1000 base-T Option: Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth, USB Server for Second Network Interface, Bidirectional IEEE 1284/ECP, USB 2.0	PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, 1 Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP® 1 License, Unicode Font Package for SAP® 10 License, Unicode Font Package for SAP® 100 License, IEEE 802.11a/g/n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket Type M19	
Network protocol:	TCP/IP (IP v4, IP v6)	For availability of models, optional apparatus and software, please consult your local Ricoh supplier.	
Supported operating systems:	Windows® Vista/7/8/8.1/10, Windows® Server/2008/2008 R2/2012/2012 R2	<b>OPTIONS</b>	
Mac OS environments:	Mac OS X v.10.7 or later	PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, 1 Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP® 1 License, Unicode Font Package for SAP® 10 License, Unicode Font Package for SAP® 100 License, IEEE 802.11a/g/n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket Type M19	
UNIX environments:	Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX, IBM® iSeries/AS/400-using OS/400 Host Print Transform	For availability of models, optional apparatus and software, please consult your local Ricoh supplier.	
SAP® R/3® environments:	SAP® R/3®	<b>OPTIONS</b>	
<b>FAX (OPTION)</b>		PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, 1 Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP® 1 License, Unicode Font Package for SAP® 10 License, Unicode Font Package for SAP® 100 License, IEEE 802.11a/g/n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket Type M19	
Circuit:	PSTN, PBX	For availability of models, optional apparatus and software, please consult your local Ricoh supplier.	
Compatibility:	ITU-T (CCITT) G3	<b>OPTIONS</b>	
Resolution:	8 x 3.85 line/mm, 200 x 100 dpi (standard) 8 x 7.7 line/mm, 200 x 200 dpi (standard) 8 x 15.4 line/mm, 16 x 15.4 line/mm, 400 x 400 dpi (with optional SAF memory)	PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, 1 Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP® 1 License, Unicode Font Package for SAP® 10 License, Unicode Font Package for SAP® 100 License, IEEE 802.11a/g/n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket Type M19	
Transmission speed:	G3: 2 seconds (200 x 100 dpi, JBIG) G3: 3 seconds (200 x 100 dpi, MMR)	For availability of models, optional apparatus and software, please consult your local Ricoh supplier.	
Modem speed:	Maximum: 33.6 Kbps	<b>OPTIONS</b>	
<b>SCANNER</b>		PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, 1 Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP® 1 License, Unicode Font Package for SAP® 10 License, Unicode Font Package for SAP® 100 License, IEEE 802.11a/g/n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket Type M19	
Scanning speed:	ARDF: Max. 80 originals per minute SPDF: Max. 110 (simplex) / 180 (duplex) originals per minute	For availability of models, optional apparatus and software, please consult your local Ricoh supplier.	
Resolution:	Standard: 100 dpi, 200 dpi, 300 dpi, 400 dpi, 600 dpi Default: 200 dpi	<b>OPTIONS</b>	
Original size:	A3, A4, A5, B4, B5, B6	PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, 1 Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP® 1 License, Unicode Font Package for SAP® 10 License, Unicode Font Package for SAP® 100 License, IEEE 802.11a/g/n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket Type M19	
File format:	TIFF, JPEG, PDF, High Compression PDF, PDF-A	For availability of models, optional apparatus and software, please consult your local Ricoh supplier.	
Bundled drivers:	Network TWAIN Driver	<b>OPTIONS</b>	
Scan to email:	SMTP (Mail Server) Gateway and TCP/IP, POP, IMAP4	PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, 1 Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP® 1 License, Unicode Font Package for SAP® 10 License, Unicode Font Package for SAP® 100 License, IEEE 802.11a/g/n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket Type M19	
Scan to folder:	SMB, FTP	For availability of models, optional apparatus and software, please consult your local Ricoh supplier.	

**RICOH**  
imagine. change.

[www.ricoh-ap.com](http://www.ricoh-ap.com)

**RICOH ASIA PACIFIC PTE LTD**

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467  
Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2020 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.



\*Optional



\*Optional

RICOH @Remote



\*Genuine Adobe® PostScript®3™ and PDF Direct from Adobe® are available as options.